

# Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

## Product Data Sheet

### Bronzing Powder

M380 – (color number)

Available in 1 ounce and 8ounce jars

**Product Description:** Bronzing Powders are concentrated lining grade bronzing colors free of fillers and extenders. Bronzing Powders are used to decorate picture frames, furniture, lamps, antique objects and many other items. For extra bright effects, highlighting is effective. Raised portions of a frame can be burnished to a higher luster thus creating a contrast with the rest of the work. Packaged by volume.

Advantages:

1. Fade resistant, non-bleeding permanent colors.
2. Ultra fine ground for maximum color yield.
3. Colors transfer and blend easily on the surface without attacking the finish.
4. May be topcoated immediately.

### Characteristics:

Weight per gallon: 70.94 lbs/gal\*

Solids % (wt): 100%

Solids % (vol): 100%

Dry time:

To handle or recoat: immediately

VOC's: 0.0 lbs/gal (0.0 g/l)

VHAP's: 0.0 lbs VHAP's/lb solids

Package Life: 3 years

\* = varies depending on item number

HMIS: Health – 2, Flammability – 1, Reactivity – 0, Personal Protection - X

### Specifications:

Directions:

**Brush or spray application:** To make 8 oz., blend 5 oz. Graining Liquid, 2.5 oz. Ultra Penetrating Stain Retarder or Blush Resistant Reducer and 1 oz. Bronzing Powder.

Bronzing Powder may be added to glazes as needed to make a metallic glaze and also into lacquer for a metallic coating, however they must be used within 1-2 hours as they may become unstable and turn the coating thick and green in color.

**Safety cautions:**

Caution: Harmful if inhaled.

Contains: metallic powders

Do not use catalyst with Bronzing Lacquer. Powder can cause eye, nose and throat irritation. Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after using. Colors container after each use.

First Aid: if difficult to breathe leave area, obtain fresh air or call a physician

**KEEP OUT OF REACH OF CHILDREN**

For industrial use only

For additional warnings and safety information, consult MSDS.

**MSDS:** If Material Safety Data Sheet is required, contact:

Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

P O Box 22000

Hickory, NC 28603

Phone: 1-800-545-0047

Fax: 1-800-721-1545

Website: [www.mohawk-finishing.com](http://www.mohawk-finishing.com)

# Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

## Product Data Sheet

### Blendal® Powder Stains

M370-Series – 36 colors

Available in 1 ounce & 16 ounce containers

**Product Description:** Mohawk Blendal® Powder Stain contains extra fine ground touch-up pigment colors used for spot color replacement on all types of furniture, cabinets, plastics, leather, vinyl and in hundreds of other finishing applications. Best results are obtained when applied with LACOVER® padding finish. Compatible with various other padding agents, "French Polish", lacquer, shellac, varnish, synthetic finishes and Graining Liquid. Apply with a "padding pad" or brush.

Advantages:

1. Easy to use
2. Compatible with many finishes
3. Pre-color matched
4. Very lightfast

### Characteristics:

Weight per gallon: 19 – 28 lbs/gal\*

Solids % (wt): 100%

Solids % (vol): 100%

VOC's (coating): 0 lbs/gal ( 0.0 g/l)

VOC's (material): 0 lbs/gal (0.0 g/l)

VHAP's: 0.0 lbs VHAP's/lb solids

Package life: 3 years

\*Varies between colors

All values theoretical; not intended to be exact QC specifications.

HMIS: Health – 1, Flammability – 0, Reactivity – 0, Personal Protection - X

**Directions:** Apply by padding or brush methods with any Mohawk padding lacquer or compatible solvent to apply spot color replacement. Mohawk Blendal® Powders must be top coated with appropriate aerosol clear lacquers when final spot repair is complete.

**Safety and Other Precautions:** Read MSDS for precautions before using product.

**MSDS:** If Material Safety Data Sheet is required, contact:

Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

P.O. Box 22000

Phone: 1-800-545-0047

Hickory, NC 28603

Fax: 1-800-721-1545

### **INFORMATION and LIMITED WARRANTY DISCLAIMER**

To the best of our knowledge the technical data contained herein is true and accurate on the date of publication and is subject to change without prior notice. User must contact Mohawk Finishing Products to verify correctness before specifying or ordering. No guarantee of accuracy is given or implied. We assume no responsibility for coverage, performance or injuries resulting from use. The data on this sheet represents estimated and typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. We sell the products without warranty. Users assume all responsibility and liability for use. Loss or damage arising from the use of our products whether used alone or in combination with our products is the responsibility of the user.

**MOHAWK FINISHING PRODUCTS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR**

**FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. MOHAWK FINISHING PRODUCTS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option. The information on this sheet, as well as the products referenced herein, shall be considered "Confidential Information". Wet samples and uncured samples of these products shall be maintained as confidential and shall not be disclosed to any third party without the prior written permission of Mohawk Finishing Products.