Mohawk

Product Data Sheet

Finishing Products, Inc.

\mathbf{OZ}	POLISH
MQ	60 _000

Available in 2 ounce, pints, quarts and gallons.

Product Description: This is Mohawk's easiest one step polish. The easiest product to use in the industry. OZ Polish cleans, polishes and protects all in one operation. In addition to wooden furniture OZ Polish can be used on marble, tile, refrigerators, chrome, etc.

Advantages:

- 1. Non-flammable
- 2. Easy to use.
- 3. One step operation.
- 4. Greaseless.

Product Limitations:

- 1. Designed for interior use only.
- 2. Not suitable for high temperature areas

Characteristics:

Weight per gallon: 8.00 ± 0.1 lbs./gal.

Flashpoint: None observed

Spec. Gravity: $.0.962 \pm 0.01$

Non Volatile (wt): $23.2 \pm 0.3\%$

Package Life: 2 years

Coverage: 500 square feet/gallon

Hazardous Air Pollutants: 0.0 lb/1 lb. solids Air Quality Data: Non-Photochemically Reactive

Volatile Organic Compounds (VOC):

Does not exceed 475 grams/liter, 3.97 lbs/gal.

HMIS:

Health: 1

Flammability: 0 Reactivity: 0

Personal Protection: B

Specifications:

Directions: SHAKE WELL BEFORE USING. Surface should be clean and dry. Clean and wipe surfaces well. Pour a small quantity of polish on a clean, soft, lint-free cloth and apply in the conventional manner. For stainless steel and formica apply with dampened sponge. USE SPARINGLY.

OZ does not require excessive rubbing – the surface brightens immediately and will not show finger marks. Previously waxed and oil polished surfaces can cause smudging because of build up. If so, remove with mild detergent and warm water before applying OZ. Keep from freezing and do not apply to flat painted surfaces.

Safety Cautions: Avoid contact with skin and eyes. Wash hands after using. Keep container closed when not in use. Do not transfer contents to other containers for storage.

KEEP OUT OF REACH OF CHILDREN

MSDS: If Material Safety Data Sheet is required, contact: Mohawk Finishing Products, Inc. 4715 STHWY 30
Amsterdam, NY 12010-7417

Phone: 518-843-1380 Fax: 518-842-3551

Mohawk

Product Data Sheet

Finishing Products, Inc.

OZ POLISH M107-0860

AVAILABLE IN 13 OZ. AEROSOL, PINTS, QUARTS AND GALLONS.

Product Description: Mohawk's "OZ Polish" is unique unto itself. "OZ Polish" is the easiest one step polish in the industry. This material is non-abrasive and will apply well to any surface such as; furniture, tile, chrome, fixtures, etc.

Advantages:

- 1. Easy to use.
- 2. Fast drying.
- 3. Non-greasy.
- 4. Will not show finger marks.

Product Limitations:

- 1. Keep from freezing.
- 2. Do not use on lo-gloss or flat sheen surfaces.

Characteristics:

Weight per gallon: 8.00 ± 0.1 lbs/gal. Volatile Organic Compounds (VOC): Not to exceed 475 grams/liter, 3.95 lbs/gal. Specific Gravity: 0.962 ± 0.01 Non Volatile (wt.): $23.3 \pm 0.5\%$

Package Life: 2 years

Coverage: 350 square feet/gallon

Hazardous Air Pollutants: 0.0 lb/1 lb. solids Air Quality Data: Non-Photochemically Reactive

HMIS: Health: 1

Flammability: 2 Reactivity: 0

Personal Protection: B

DISTRIBUTED BY: Pro Wood Finishes 14622 Southlawn Lane Rockville MD 20850 Ph: (301) 424-3033

Specifications:

Directions: Shake before using. Hold can upright 6" from surface. Spray lightly. Polish right away with a soft clean-cloth. For small areas, spray cloth, then polish. OZ POLISH does not require excessive rubbing – the surface brightens immediately and will not show fingerprint marks. Previously waxed and oil polished surfaces can cause smudging because of build-up. If so, remove with mild detergent and warm water before applying OZ POLISH. Keep from freezing and do not apply to flat painted surfaces.

Safety Cautions: Contents are EXTREMELY FLAMMABLE. Vapors may ignite EXPLOSIVELY. Keep away from heat, sparks and open flame. During use and until all vapors are gone, keep area well ventilated. Avoid breathing of vapor and spray mist. USE ONLY WITH ADEQUATE VENTILATION. Avoid contact with skin and eyes. Wash hands after using.

Keep container closed when not in use. Do not transfer contents to other containers for storage.

KEEP OUT OF REACH OF CHILDREN

MSDS: If Material Safety Data Sheet is required, contact: Mohawk Finishing Products, Inc. 4715 State Highway 30
Amsterdam, NY 12010-7417
Phone: 518 843 1380

Phone: 518-843-1380 Fax: 518-842-3551