

hinges

automatic closing / door thickness 16 - 26 mm / angled applications


Series 200

94° OPENING

For wooden doors with positive angled assembly



Hinges for wooden doors with positive angled assembly.
11 mm deep metal cup.
94° opening.
Possible drilling distance on the door (K): from 3 to 9 mm.
Compatible with all traditional Series 200 mounting plates and
with all Domi snap-on mounting plates.



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH

74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.

HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.

06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.

MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.

CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.

08403 GRANOLLERS
www.salicespana.es

hinges


automatic closing / door thickness 16 - 26 mm / angled applications

Series 200


94° OPENING

For wooden doors with positive angled assembly


C2_BZ99
Arm 15°



C2_BU99
Arm 24°



C2_BE99
Arm 30°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH

74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.

HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.

06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.

MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.

CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.

08403 GRANOLLERS
www.salicespana.es

hinges


automatic closing / door thickness 16 - 26 mm / angled applications

Series 200


94° OPENING

For wooden doors with positive angled assembly


C2_BT99
Arm 30°



C2_BK99
Arm 37°



C2_BM99
Arm 45°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH
74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.
HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.
06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.
MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.
CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.
08403 GRANOLLERS
www.salicespana.es

hinges


automatic closing / door thickness 16 - 26 mm / angled applications

Series 200


94° OPENING

For wooden doors with positive angled assembly

C2_BV99
Arm 45°



C2_BM99AC
Arm 45°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH

74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.

HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.

06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.

MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.

CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.

08403 GRANOLLERS
www.salicespana.es