

hinges

integrated soft-close mechanism / door thickness 16 - 26 mm / angled applications

Silentia

Series 700

110° OPENING

For wooden doors with positive angled assembly



Hinges with integrated soft-close mechanism in the hinge cup.

For wooden doors with positive angled assembly.

Hinges for min. 16 mm thick doors.


13.5 mm deep cup.

110° opening.

Possible drilling distance on the door (K): from 3 to 6 mm.

Compatible with all traditional Series 200 mounting plates and with

all Domi snap-on mounting plates.



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N° 96189

DEUTSCHE SALICE GmbH
74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.
HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.
06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.
MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.
CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.
08403 GRANOLLERS
www.salicespana.es

hinges

integrated soft-close mechanism / door thickness 16 - 26 mm / angled applications


Silentia

Series 700


110° OPENING

For wooden doors with positive angled assembly


C7_6ZD9
Arm 15°



C7_6UD9
Arm 24°



C7_6ED9
Arm 30°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH
74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.
HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.
06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.
MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.
CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.
08403 GRANOLLERS
www.salicespana.es

hinges

integrated soft-close mechanism / door thickness 16 - 26 mm / angled applications


Silentia

Series 700


110° OPENING

For wooden doors with positive angled assembly


C7_6TD9
Arm 30°



C7_6KD9
Arm 37°



C7_6MD9
Arm 45°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH

74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.

HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.

06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.

MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.

CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.

08403 GRANOLLERS
www.salicespana.es

hinges

integrated soft-close mechanism / door thickness 16 - 26 mm / angled applications


Silentia

Series 700


110° OPENING

For wooden doors with positive angled assembly

C7_6VD9
Arm 45°



C7_6MD9AC
Arm 45°



ARTURO SALICE S.p.A. (Società con Unico Socio)

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424
FAX 031 791508
info.salice@salice.com

www.salice.com
CAPITALE SOC. € 25.000.000 I.V.
C.F. e P. IVA 00211650130
REG. IMPRESE COMO 00211650130
REA COMO N°96189

DEUTSCHE SALICE GmbH

74382 NECKARWESTHEIM
www.deutschesalice.de

SALICE UK Ltd.

HUNTINGDON CAMBS PE29 6FN
www.saliceuk.co.uk

SALICE FRANCE S.A.R.L.

06600 ANTIBES
www.salicefrance.com

SALICE CANADA Inc.

MISSISSAUGA, ONTARIO L5L 5Y1
www.salicecanada.com

SALICE AMERICA Inc.

CHARLOTTE NC 28227
www.saliceamerica.com

SALICE ESPAÑA, S.L.U.

08403 GRANOLLERS
www.salicespana.es