

# Pressure Tanks

## Standard Pressure Tanks (2.5 Gallon - 15 Gallon)



**51-202**



**51-204**



**51-214**



**51-504**



**51-502**



**51-554**



**51-702**

2.5 Gallon Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Standard	51-200	0	None	The 2.5 gallon non-ASME tank from C.A.T. is constructed of heavy gage steel. The tank has wheels for maneuverability or optional stationary feet. All 2.5 gallon tanks come with a ridged liner.
	51-201	1	None	
	51-202	2	None	
	51-203	1	Air	
	51-204	2	Air	
	51-205	0	Air	
	51-207	2	None	
Bottom Outlet	51-209	2	Air	The bottom outlet 2.5 gallon non-ASME tank from C.A.T. is constructed of heavy gage steel. The tanks have a baked on coating and come with or without agitation. The tank has wheels for maneuverability or optional stationary feet. All bottom outlet tanks have a 3/4" fluid outlet w/ ball valve.
	51-210	0	None	
	51-211	1	None	
	51-212	2	None	
	51-213	1	Air	
	51-214	2	Air	
51-215	0	Air		

Tank Inside Dimensions: Diameter = 10 1/2"      Gasket: 51-220      Tank Liners: 51-261-12 (12 Pack - Rigid)  
 Depth = 8 3/4"      51-231-10 (10 Pack - Bag)

5 Gallon Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Standard	51-500	0	Hand	The 5 gallon non-ASME tank from C.A.T. is constructed of heavy gage steel. This tank comes standard with dual fluid outlets and ball valves. The tank has wheels for maneuverability or optional stationary feet. Maximum working pressure is 80 PSI. The tank comes with a 2" dia. fill port.
	51-501	1	Hand	
	51-502	2	Hand	
	51-503	1	Air	
	51-504	2	Air	
	51-505	0	Air	
	51-506	0	None	
	51-507	1	None	
	51-508	2	None	
	Bottom Outlet	51-510	0	
51-511		1	None	
51-512		2	None	
51-513		0	Air	
51-514		1	Air	
51-515		2	Air	

Tank Inside Dimensions: Diameter = 12 1/2"      Gasket: 51-520      Tank Liners: 51-543-10 (10 Pack)  
 Depth = 15 1/2"

10 Gallon Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Standard	51-550	0	None	The 10 gallon non-ASME tank from C.A.T. is constructed of heavy gage steel. This tank comes standard with dual fluid outlets and ball valves. The tank has wheels for maneuverability or optional stationary feet. Maximum working pressure is 80 PSI. The tank comes with a fill port.
	51-551	1	None	
	51-552	2	None	
	51-553	1	Air	
	51-554	2	Air	
	51-555	0	Air	
	51-556	0	Hand	
	51-557	1	Hand	
	51-558	2	Hand	
	Bottom Outlet	51-560	0	
51-561		1	None	
51-562		2	None	
51-563		0	Air	
51-564		1	Air	
51-565		2	Air	

Tank Inside Dimensions: Diameter = 12 1/2"      Gasket: 51-520      Tank Liners: 51-543-10 (10 Pack)  
 Depth = 21 1/2"

15 Gallon Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Standard	51-701	1	None	The 15 gallon non-ASME tank from C.A.T. is constructed of heavy gage steel. This tank comes standard with dual fluid outlets and ball valves. Maximum working pressure is 80 PSI.
	51-702	2	None	
	51-703	1	Air	
	51-704	2	Air	

Tank Inside Dimensions: Diameter = 14 1/2"      Gasket: 51-720  
 Depth = 21 1/2"

# SS Pressure Tanks

## Stainless Steel Pressure Tanks (2.5 Gallon - 12.5 Gallon)



**51-802**



**51-804**



**51-914**



**51-854**



**51-852**



**51-882**



**51-941**

- C.A. Technologies Stainless Steel Tanks are the ideal solution for virtually all waterborne and corrosive coatings.
- C.A.T. SS tanks are fabricated from heavy weight 304 stainless steel: tank lid, shell, pickup tube, fluid outlets and all wetted parts are stainless steel.

2.5 Gallon Stainless Steel Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Stainless Steel	51-800	0	None	The 2.5 gallon stainless steel tank from C.A.T. is constructed of all S.S. inside and out. The tank has wheels for maneuverability or optional stationary feet.
	51-801	1	None	
	51-802	2	None	
	51-803	1	Air	
	51-804	2	Air	
	51-805	0	Air	
Stainless Steel Bottom Outlet	51-910	0	None	The bottom outlet 2.5 gallon non-ASME tank from C.A.T. is constructed of stainless steel and are available with or without agitation. The tanks have wheels for maneuverability or optional stationary feet. All bottom outlet tanks have a 3/4" fluid outlet w/ ball valve.
	51-911	1	None	
	51-912	2	None	
	51-913	1	Air	
	51-914	2	Air	
	51-915	0	Air	

Tank Inside Dimensions: Diameter = 10 1/2" Depth = 8 3/4" Gasket: 51-220 Tank Liners: 51-261-12 (12 Pack - Rigid) 51-231-10 (10 Pack - Bag)

5 Gallon Stainless Steel Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Stainless Steel	51-850	0	None	The 5 gallon stainless steel tank from C.A.T. is constructed of all S.S. inside and out. The tank has wheels for maneuverability or optional stationary feet.
	51-851	1	None	
	51-852	2	None	
	51-853	1	Air	
	51-854	2	Air	
	51-855	0	Air	
Stainless Steel Bottom Outlet	51-920	0	None	The bottom outlet 5 gallon non-ASME tank from C.A.T. is constructed of stainless steel and are available with or without agitation. The tanks have wheels for maneuverability or optional stationary feet. All bottom outlet tanks have a 3/4" fluid outlet w/ ball valve.
	51-921	1	None	
	51-922	2	None	
	51-923	1	Air	
	51-924	2	Air	
	51-925	0	Air	

Tank Inside Dimensions: Diameter = 12 1/2" Depth = 15 1/2" Gasket: 51-520 Tank Liners: 51-543-10 (10 Pack)

12.5 Gallon Stainless Steel Pressure Tanks				
Tanks	Part #	Regulators	Agitator	Description
Stainless Steel	51-880	0	None	The 12.5 gallon stainless steel tank from C.A.T. is constructed of all S.S. inside and out. The tank has wheels for maneuverability or optional stationary feet.
	51-881	1	None	
	51-882	2	None	
	51-883	1	Air	
	51-884	2	Air	
	51-885	0	Air	
Stainless Steel Bottom Outlet	51-940	0	None	The bottom outlet 12.5 gallon non-ASME tank from C.A.T. is constructed of stainless steel and are available with or without agitation. The tanks have wheels for maneuverability or optional stationary feet. All bottom outlet tanks have a 3/4" fluid outlet w/ ball valve.
	51-941	1	None	
	51-942	2	None	
	51-943	1	Air	
	51-944	2	Air	
	51-945	0	Air	

Tank Inside Dimensions: Diameter = 14 1/2" Depth = 19" Gasket: 51-890