


SYSTAINERS & SORTAINERS

With the T-LOC single-point latch, our SYSTAINERS are easy to access and connect for better organization and worksite efficiency. They're compatible with the SYS-Dock feature of our Dust Extractors, SYS-Port and CT Workcenter, as well as our Classic SYSTAINERS ¹.



¹ T-LOC SYSTAINERS can be attached to the top of Classic SYSTAINERS. Classic SYSTAINERS cannot be attached to the top of T-LOC SYSTAINERS.

Features + Capabilities



T-LOC (Lock, Open, Connect)

Storing, transporting, and accessing tools, accessories and consumables is quick and easy, with one-hand access and a twist of the wrist (on SYSTAINERS equipped with T-LOC latches).



Stackable

All standard SYSTAINERS have similar dimensions for easy stacking, storing and transport.



Flexible drawers and compartments

The SORTAINER is available in many configurations. Drawers and compartments can also be configured with insert dividers.



Mobility

Can be mounted on an independent rolling base, called a SYS-Cart, or mounted on CT Dust Extractors via SYS-Dock feature for quick and easy transportation.

More Details

Oversized handle

Large, centrally positioned, oversized-handle is strong enough for heavy loads and has enough clearance between the handle and lid to be carried while wearing gloves.

Latches

Each drawer (SORTAINER only) features a pull-out lock that helps to prevent the drawers from being removed or falling out unintentionally.



CT Dust Extractor

Across the shop, or across town, mobile CT Dust Extractors help you work clean. Each unit can be paired with a wide range of SYSTAINERS and accessories to keep critical equipment right at hand.

See more on page 8.

Abrasive SYSTAINER



	SYS-STF D 125	SYS-STF 80 x 133	SYS-STF R0 90 DX	SYS-STF Delta 100 x 150	SYS-STF D 150
	\$92.00 497685	\$92.00 497684	\$92.00 497687	\$92.00 497686	\$105.00 497690
Specifications					
Compatibility	For ETS 125 and R0 125 abrasives	For LS 130 and RTS 400 abrasives	For DX 93 and R0 90 DX abrasives	For DTS 400 abrasives	For ETS 150, R0 150, LEX 2 150 abrasives
SYSTAINER	SYS 1 TL	SYS 1 TL	SYS 1 TL	SYS 1 TL	SYS 3 TL

Metric dimensions binding.