

Features + Capabilities



Perfect ergonomics

The horizontally mounted application system guarantees ideal weight distribution, while CONTURO is guided securely along the top of the workpiece.



Versatile and accurate

Successfully band a wide range of sizes and types with a precise glue application, whether freehand or mounted in a table.




Complete system

Create a perfect edge with a system approach, from banding to trimming without the footprint and hassles of other methods and machines.



Mobile and flexible

Process large pieces, straight runs, convex and concave edges, as well as outside and inside corners with one machine.

 system. unmatched.

MFK 700 EQ/B

The MFK 700 EQ/B Trim Router is specifically designed to trim edge banding flush, even on mitered edges, while protecting sensitive materials from burning and melting.

See more on page 90.

More Details

Integrated system


Engineered to provide a complete edge banding solution, the Festool Edge Banding System provides everything you need from precise glue application to finished product.

Go where the work is

On a jobsite or in the shop—with a table insert for stationary applications, or easily moving from project-to-project—the Festool Edge Banding System offers flexibility and mobility like no other edge bander.

Finishing

Carbide scrapers, abrasives, and polishing components complete the process with maximum abrasion, leaving a high-gloss finish in a single step.



Edge Bander



	CONTURO Edge Bander Set	CONTURO KA 65
	\$3,410.00 574616	\$3,020.00 574609
Standard package includes		
Support Handle	•	•
Natural EVA Adhesive (4x)	•	•
Edge Banding Reel	•	
Additional Roller	•	
Edge Banding Trimmer	•	
Scraper	•	
StickFix® Base Kit w/Felt Pads (3x)	•	
Polishing Felt (5x)	•	
80 x 133 P320 Brilliant 2 Abrasive Sheets (20x)	•	
Hand-Sanding Block 3-5/32" x 5-15/64" (80 x 133 mm)	•	
StickFix Sanding Cloth S 800 (5x)	•	
SYSTAINER	SYS 4 TL (2x)	SYS 4 TL
Specifications		
Power consumption	1,200 watt	1,200 watt
Edge height	3/4" - 2-9/16" (18 - 65 mm)	3/4" - 2-9/16" (18 - 65 mm)
Max. edge thickness	1/64" - 1/8" (0,5 - 3,0 mm)	1/64" - 1/8" (0,5 - 3,0 mm)
Inner radius	> 2" (50 mm)	> 2" (50 mm)
Melting temperature	212 - 410 °F (100 - 210°C)	212 - 410 °F (100 - 210°C)
Feed speed	6.5/13.1 ft/min (2/4 m/min)	6.5/13.1 ft/min (2/4 m/min)
Heating time	8 min	8 min
Safety class	I	I
Weight	17.41 lbs (7.9 kg)	17.4 lbs (7.9 kg)

Metric dimensions binding.



















Quickly and easily mount the Conturo to this stationary table for improved surface area. Set (707 126 and 500 175) includes Table, Table Insert, Adapter Plate, Guide Plates (15x), and Cross Members. Perfect for small pieces that would otherwise be difficult to work on with the handheld CONTURO alone.

MFT/3 CONTURO

\$805.00
500869

CONTURO Accessories

ACCESSORIES		
	Edge Bander Trimming Set Edge Banding Reel, Additional Roller, Edge Banding Trimmer, Scraper, StickFix® Base Kit with Felt Pads (3x), Polishing Felt (5x), Abrasive Sheets StickFix Brilliant 2 80 x 133 P320 (20x), Hand-Sanding Block 80 x 133 mm, StickFix Sanding Cloth S 800 (5x), in a SYSTAINER SYS 4 T-LOC.	\$515.00 500177
	Natural EVA Edge Banding Adhesive Natural color adhesive (48 pieces).	\$140.00 499812
	White EVA Edge Banding Adhesive White color adhesive (48 pieces).	\$140.00 499813
	Black EVA Edge Banding Adhesive Black color adhesive (48 pieces).	\$140.00 200060
	Brown EVA Edge Banding Adhesive Brown color adhesive (48 pieces).	\$140.00 200059
	Adapter Plate Mount the CONTURO into the Table Insert (500 366) for stationary edge banding applications.	\$460.00 500175
	Perforated plate Provides a work surface when coupled with Adapter Plate (500 175) for stationary edge banding applications.	\$190.00 500366
	Guide Plate Guide Plates for KA 65 Table Insert (500 366). Provides low-friction surface area for stationary edge banding applications. (15 pieces)	\$27.00 500367
	Edge Banding Trimmer Cuts edge banding for flawless seams up to 65 mm high and 2 mm thick. Cuts right and left sides as well as circular edging applications.	\$210.00 499896
	Edge Bander Magazine Holds additional edge banding for longer runs up to 8 m long, 45 mm high and 2 mm thick.	\$95.00 499479
	Edge Bander StickFix Base Includes a StickFix base, 4 screws, and 3 felt pads for scratch-free performance on delicate surfaces.	\$44.00 499892
	Replacement Felt Replacement felt for KA 65 StickFix base kit. (10 pieces)	\$40.00 499893
	Auxiliary Roller Offers additional pressure point for applying edge banding on tight curves and shaped parts.	\$84.00 499480
	Scraper Radius scraper for edge banding with 1 mm, 1.5 mm, and 2 mm radius settings. 1-3/4" x 1-3/4" x 1/16" (45 x 45 x 1.2 mm).	\$74.00 499749
	Sanding Block Ergonomic hand-sanding block utilizes rectangular (80 x 130 mm) abrasives and polishing felt for finishing edges.	\$29.00 495967
	Polishing felt Polishing felt 80 x 133 mm. For polishing high-gloss edging. (5 pieces)	\$21.00 499894