

DISTRIBUTED BY:
Pro Wood Finishes
14622 Southlawn Lane
Rockville MD 20850
Ph: (301) 424-3033



OF 1400 EQ | \$600.00
574692

Our most versatile router packs 1400 watts into less than 10 lbs. It's got enough power for most routing tasks, yet it's small enough to allow precise control.

Features + Capabilities



Ergonomic handles

Festool routers are designed for increased control and reduced fatigue. Integrated switches allow use with just one hand.



Dust extraction

Integrated dust extraction ports capture dust and debris at the point of creation, increasing visibility, prolonging cutter life, and saving valuable cleanup time.



Swiveling chip deflector

Included chip deflector can be used with edge forming bits, maximizing chip and dust extraction even around curves and corners. Attaches and releases quickly with tool-free spring clip system.



System integration

Designed for use with the FS Guide Rail system for guided cutting, MFS multi-routing templates, and a wide range of other accessory options.



Precision depth adjustment

Micro-adjustability dial to 1/256" (1/10 mm) allows routing with tremendous precision.



Power

With MMC electronics and finely balanced motors, plow through the toughest tasks with power to spare and less vibration, resulting in finer cuts from the start.

More Details

MMC electronics

Electronic controls provide constant speed under load for improved cut quality, stepless variable speed for different applications, and overload protection for longer life.

Depth turret

Multi-position depth-stop turret makes short work of stepped cuts for repeatable and consistent cutting results.

LR 32 hole drilling system

Use with OF 1010 or OF 1400 for shelf pin and hardware placement for casework and cabinetry. (OF 1010 and OF 1400 only.)

Ratcheting spindle

Faster and easier bit changes with one wrench ratcheting action. (OF 1400 and OF 2200 only.)

Interchangeable base system

At the core of the OF 2200's range of capability is a quick-change, tool-less baseplate system, allowing a quick switch. (OF 2200 only.)

Routers



	OF 1010 EQ	OF 1400 EQ	OF 2200 EB
	\$470.00 574691	\$600.00 574692	\$970.00 574689
Standard package includes			
Collet—1/4"	•	•	
Collet—8 mm	•	•	
Collet—1/2"		•	•
Chip Catcher	•	•	•
Dust Extraction Hood	•	•	•
Guide Rods	•	•	
Guide Stop	•		
Standard U.S. Guide Bushing Adapter	•	•	•
Plug-It Power Cord	•	•	
SYSTAINER	SYS 3 TL	SYS 4 TL	SYS 4 TL
Specifications			
Power consumption	1,010 watt	1,400 watt	2,200 watt
Idle engine speed	10,000 - 23,000 RPM	10,000 - 22,500 RPM	10,000 - 22,000 RPM
Collet dia.	1/4" - 5/16" (6 - 8 mm)	1/4" - 1/2" (6 - 12.7 mm)	1/4" - 1/2" (6 - 12.7 mm)
Routing stroke	2-1/8" (55 mm)	2-3/4" (70 mm)	3-5/32" (80 mm)
Routing depth fine adjustment range	5/16" (8 mm)	5/16" (8 mm)	3/4" (20 mm)
Max. cutter diameter	2" (50 mm)	2-1/2" (63 mm)	3-1/2" (89 mm)
Weight	5.95 lbs (2.7 kg)	9.92 lbs (4.5 kg)	17.2 lbs (7.8 kg)

Metric dimensions binding.



OF 2200 Accessory Kit

Available in both Metric and Imperial sets, these kits provide an organized system to store and transport all OF 2200 accessories. Fully stocked set includes Parallel Edge Guide, Guide Stop, Guide Rods, Table Widener Base, Small Bore Base, Template Guide Base, Offset Base for Guide Rail and Template Guide Bushings.

	IMPERIAL	METRIC
	\$420.00 497656	\$420.00 497655



OF Accessories













LR 32 Hole Drilling Set in SYSTAINER

\$535.00
584100

Includes: SYS 1 TL (497 563); LR 32 Hole Drilling Set (583 290); LR 32 Guide Rail Connector (496 938) (2 pieces); Dowel Drill HW D 5 mm—for stopped holes (491 066); Dowel Drill HW D 5 mm—for through holes (491 064); Cup Hinge Bit HW D 35 mm (491 077); Festool 120 Screw Clamps (489 570); Guide Rail sold separately.

OF 1010 EQ/
OF 1400 EQ











ACCESSORIES

	<p>Hole Drilling Set Includes LR 32 Guide Plate with mandrel (494 340), two side fences consisting of edge stop (485 758) and sliding stop flag (485 759). Packaged in a box. Guide Rail, clamps, and bits sold separately.</p>	<p>\$270.00 583290</p>
	<p>Guide Plate Includes centering mandrel (492 187). Guide Rail, clamps, bits, and side fences sold separately.</p>	<p>\$140.00 494340</p>
	<p>Edge Guide Set Guide Rails a specific distance from edge. Integrated ruler and adjustable stops. For use with the LR 32 system. Includes stop and sliding stop flag (485 759).</p>	<p>\$78.00 485758</p>
	<p>Guide Rail Index Accurately place shelf pin holes and European hardware based on the 32 mm system using the stop to set the distance from the end. Also used to calibrate LR 32 rails to be joined together for taller workpieces. (2 pieces)</p>	<p>\$32.00 496938</p>
	<p>Dowel Drill Bit Brad-point style bit for stopped holes for shelf pins and hardware installation.</p>	<p>\$36.00 491066</p>
	<p>Dowel Drill bit Spear-point bit for through holes for shelf pins or hardware installation.</p>	<p>\$42.00 491064</p>
	<p>Euro-hinge boring bit 35 mm Flat-bottom cutting bit for recessed cup-style hinges.</p>	<p>\$90.00 491077</p>
	<p>Euro-hinge boring bit 20 mm Flat-bottom cutting bit for recessed cup-style hinges.</p>	<p>\$69.00 491072</p>
	<p>Guide Rail FS LR 32 55" (1,400 mm) Guide Rail indexed with a series of holes for 32 mm spacing. Hole drilling set sold separately. FS 1400/2 LR32.</p>	<p>\$145.00 496939</p>
	<p>Guide Rail FS LR 32 95"-13/32" (2,424 mm) Guide Rail indexed with a series of holes for 32 mm spacing. Hole drilling set sold separately. FS 2424/2 LR32.</p>	<p>\$365.00 491622</p>

Routers










OF 1010 EQ Accessories




	<p>Guide Stop Adapt routers to Guide Rails for perfectly guided cuts. Slot in base engages rib on Guide Rail.</p>	\$46.00 488752
	<p>Fine Adjustment Quick and precise adjustment when using router with Guide Stop (488 752) or edging plate. Allows for 1/256" (1/10 mm) fine adjustment.</p>	\$30.00 488754
	<p>Edge Guide Stable guidance for accurate grooves, flutes, dados, rabbets and more. Includes Guide Rods (495 247); does not include Dust Hood (437 307).</p>	\$48.00 489427
	<p>Fine Adjuster Quick and precise adjustment when using router with Guide Stop (488 752) or Edging Plate. Allows for 1/256" (1/10 mm) fine adjustment. (Shown attached to Edge Guide (489 427), not included)</p>	\$30.00 488358
	<p>Chip Catcher Swiveling Chip Catcher deflects chips and dust in edge-forming operations, further enhancing dust extraction efficiency.</p>	\$25.00 493180
	<p>Extension table Extends support area for edge trimming. Small center bore facilitates edge and corner routing. Outrigger handle for additional support.</p>	\$61.00 488756
	<p>Hard Fiber Base Runner Customize the solid base piece hole diameter with a plunge bit to meet your needs. Provides support across the entire surface of the router base. Ideal for working with smaller diameter bits especially for greater support on outside corners. Does not have the center bore.</p>	\$30.00 489229
	<p>Trammel Unit Rout circles and decorative curves up to 29-7/8" (760 mm) in diameter.</p>	\$30.00 483922
	<p>Collet</p>	
	1/4" collet with nut	\$38.00 488761
	8 mm collet with nut	\$38.00 488755
	<p>Template</p>	
	10.8 mm OD / 9 mm ID	\$17.75 486029
	13.8 mm OD / 11 mm ID	\$17.75 484176
	17 mm OD / 15 mm ID	\$17.75 486030
	24 mm OD / 21 mm ID	\$17.75 486031
	27 mm OD / 25 mm ID	\$17.75 486032
	30 mm OD / 27 mm ID	\$17.75 486033
	40 mm OD / 37 mm ID	\$17.75 486034



OF 1400 EQ Accessories

	Guide Stop Adapt routers to Guide Rails for perfectly guided cuts. Slot in base engages rib on Guide Rail. Includes Router Support (438 608). Does not include Guide Rods (463 147).	\$59.00 492601
	Edge Guide Quickly and easily rout grooves, flutes, dados, ploughs and rabbets with guided precision. Includes Dust Hood (489 565). Does not include Guide Rods (463 147).	\$86.00 492636
	Chip Catcher Swiveling Chip Catcher deflects chips and dust in edge-forming operations, further enhancing dust extraction efficiency.	\$27.00 492732
	Base Accessory base for use with small diameter edge-forming bits. Provides stability on outside corners by extending the base to the inside near the bit.	\$55.00 492574
	Table Widener Oversized, heavy-duty baseplate with integrated rotating chip catcher. Increased hole diameter size for larger edge-forming bits. Increased base width for greater support. Aids starting and finishing cuts with extended base surface.	\$90.00 492333
	Collet	
	1/4" collet with nut	\$48.00 494463
	3/8" collet with nut	\$48.00 494464
	8 mm collet with nut	\$48.00 494460
	1/2" collet with nut	\$48.00 494465
	Template	
	24 mm OD / 21 mm ID	\$17.75 492183
	27 mm OD / 25 mm ID	\$17.75 492184
	30 mm OD / 27 mm ID	\$17.75 492185
	40 mm OD / 37 mm ID	\$17.75 492186

Accessories for OF 1010EQ/OF 1400 EQ/OF 2200 EB

	SYSTAINER T-LOC Store, organize, and transport up to 40 router bits. Holds 1/4," 8 mm, and 1/2" bits. (Router bits not included)	\$99.00 497695
	Routing Aid Plexiglas Template for mortise, groove, or slot an edge. Integrated ruler and adjustable fences accommodate material from 13/32" (10 mm) to 2-9/32" (50 mm).	\$365.00 495246
	Centering Mandrel Center guide bushings and the LR 32 plate to the collet for accurate routing results. Works with 1/4" and 8 mm collets.	\$36.00 492187