

DISTRIBUTED BY:
Pro Wood Finishes
14622 Southlawn Lane
Rockville MD 20850
Ph: (301) 424-3033

Drills/Drivers



T 18+3 18V Drill

Imagine a multifunction drill that does the thinking. It beeps when the desired torque setting is reached, tells you when it's time to charge the battery and more. You'll never again lose a favorite clutch setting thanks to the independent switch for drilling and driving modes.

T 18 Basic

\$320.00
574764

Centrotec Chuck, Centrotec Bit Holder, FastFix Keyless Chuck, T-Loc Systemer SYS 2 TL

T 18 Set

\$660.00
574761

Centrotec Chuck, Centrotec Bit Holder, FastFix Keyless Chuck, Eccentric Chuck, Right-Angle Chuck, 5.2 Ah Li Battery (2x), SCA 8 Charger, T-Loc Systemer sys 2 TL

Features + Capabilities



FastFix interchangeable chucks

FastFix tool-less chuck exchange system dramatically expands the range of the T-Drills, taking the place of five different tools.



Brushless motor technology

Brushless motors deliver longer run times, more screws per charge and a significantly longer service life. Also equipped with thermal protection and low battery indicator.



Durability

With German build quality and a virtually indestructible motor, you'll be hard-pressed to break this machine.



Fuel gauge

With the integrated fuel gauge, there's no more guessing how much charge remains as you move on to your next task.

More Details

LED

Bright LED lamp increases visibility of the bit and the workpiece for more precise results, even in low-light conditions.

Fully electronic clutch

Internal sensors immediately and completely disengage the drill motor once the desired torque setting has been achieved, preventing overdriving and stripping.

Centrotec

Accelerate common drilling and driving tasks with this quick-change system that delivers a no-slip design for maximum power transfer.

AIRSTREAM

Chargers & Batteries



**Quick Charger
AIRSTREAM SCA 8**

\$84.00
200313



**Quick Charger
AIRSTREAM TCL 6**

\$68.00
201138



**BP 18 Li
6.2 AS**

\$100.00
201775




**BP 18 Li
5.2 AS**

\$84.00
201066



**BP 18 Li
3.1 C**

\$74.00
201790

 **system. unmatched.**

Cordless CARVEX Family

Festool has perfected cordless power and freedom not just in drill form, but in jigsaws as well. Our CARVEX 420 cordless jigsaws offer a barrel-grip or D-handle option, as well as basic versions of each sold without a battery. No matter which you choose, the precision, technology and versatility of a CARVEX Jigsaw is unmatched.

See more on page 64.





	DWC
Specifications	
Battery voltage	18 V
Idle engine speed	0 - 4 500 RPM
Max. machinable screw length (magazine attachment)	2" (55 mm)
Tool holder	1/4"
Li-ion battery capacity	5.2 Ah
Weight with depth stop	4.19 lbs (1.9 kg)
Weight with magazine attachment	5.07 lbs (2.3 kg)

















	TXS & CXS	T18	C18
Specifications			
Battery voltage	10.8 V	18 V	18 V
Li-ion battery capacity	2.6 Ah	5.2 Ah	5.2 Ah
Gears	2	2	2
Idling speed, 1st gear/2nd gear	0 - 430/0 - 1,300 RPM	0 - 450/0 - 1,500 RPM	0 - 450/0 - 1,500 RPM
Chuck range	1/32" - 3/8" (1 - 10 mm)	1/16" (1.5 mm) - 1/2" (13 mm)	1/16" (1.5 mm) - 1/2" (13 mm)
Drilling diameter, wood/steel	15/32" (12 mm)/5/16" (8 mm)	1-3/4" (45)/1/2" (13 mm)	1-3/4" (40 mm)/1/2" (13 mm)
Torque setting 1st gear	2.7 in-lb (0.3 Nm) - 30.1 in-lb (3.4 Nm)	7.1 in-lb (0.8 Nm) - 70.8 in-lb (8 Nm)	7.1 in-lb (0.8 Nm) - 70.8 in-lb (8 Nm)
Torque adjustment 1st/2nd gear	-	4.4 in-lb (0.5 Nm) - 53.1 in-lb (6 Nm)	4.4 in-lb (0.5) - 53.1 in-lb (6 Nm)
Max. torque, wood/steel	88.5 in-lb (10 Nm)/141.6 in-lb (16 Nm)	309.8 in-lb (35 Nm)/442.5 in-lb (50 Nm)	239.0 in-lb (27 Nm)/398.3 in-lb (45 Nm)
Weight with Li-ion	1.98 lbs (0.9 kg)	3.97 lbs (1.8 kg)	3.97 lbs (1.8 kg)

Metric dimensions binding.














	PDC 18/4	BHC 18
Specifications		
Battery voltage	18 V	18 V
Li-ion battery capacity	5.2 Ah	5.2 Ah
Max. number of strokes	76,000 RPM	4,895 RPM
Max. torque, wood/steel	354.0 in-lb (40 Nm)/531.0 in-lb(60 Nm)	88.5 in-lb (10 Nm)/221,3 in-lb (25 Nm)
Drilling diameter (wood/steel)	2" (50 mm)/1/16" (13 mm)	-
Drilling diameter in brickwork	3/8" (10 mm)	-
Drilling dia. (concrete)	-	11/16" (18 mm)
Chuck range	1/16" (1.5 mm) - 1/2 " (13 mm)	-
Weight with Li-ion	4.41 lbs (2 kg)	5.73 lbs (2.6 kg)

Metric dimensions binding.













		PDC 18/4	BHC 18
ACCESSORIES			
	Angle Attachment Included with PDC Set, the Right Angle attachment connects directly to the output shaft of the PDC drill for right angle drilling and driving.	\$135.00 769097	
	Depth Stop Chuck Drive screws to a consistent depth using Socket Wrench or any 1/4" hex drive tip. Equipped with replaceable Guard Rings to provide protection for softer surfaces. FastFix interchange makes it compatible with PDC, C18, and T18 Drills. PH2 bit included.	\$110.00 769126	
	Socket For use with Depth Stop Attachment 769126. Equipped with 1/4" hex shank and 8 mm socket end for use with self-drilling screws.	\$16.75 768113	
	Socket For use with Depth Stop Attachment 769126. Equipped with 1/4" hex shank and 3/8" socket end for use with self-drilling screws.	\$16.75 768165	
	Guard Ring Rubber ring to help to protect soft surfaces when driving fasteners with the Depth Stop Attachment 769126. Internal diameter of 17 mm (21/32"). Replaceable.	\$4.25 768125	
	Guard Ring Rubber ring to help to protect soft surfaces when driving fasteners with the Depth Stop Attachment 769126. Internal diameter of 23 mm (29/32"). Replaceable.	\$4.25 768127	
	Adapter FastFix Adapter for use with PDC, C, and T drills. Equipped with 3/8" socket post.	\$69.00 769064	
	Keyless Chuck Standard replacement chuck for the PDC Drill. Compatible with C and T Drills. Up to 1/2" capacity. Ratcheting sleeve for increased retention.	\$78.00 769067	
	Keyless Chuck Metal-sleeved chuck compatible with PDC, C and T Drills. Up to 1/2" capacity. Ratcheting sleeve for increased retention.	\$69.00 769065	
	Rubber Bumper Attaches quickly and easily to any 18 volt batteries that are supplied with belt hooks. Provides an additional layer of protection especially for rough site usage.	\$8.50 769240	\$8.50 769240
	Drilling dust nozzle Suction-assisted dust destruction nozzle is designed with dual suction ports. When paired with a Dust Extractor, the Drill Dust Nozzle is attached to the surface through suction while providing efficient extraction to capture dust particles as they are created for a cleaner worksite and cleaner air.	\$23.00 500483	\$23.00 500483
	Auxiliary handle For use with the BHC and PDC Hammerdrills, the Side Handle provides ergonomic grip for greater control and comfort.	\$13.75 768615	\$13.75 768615
	Adapter Allows SDS drive hammerdrills to adapt to Centrotec Chuck and accessories.		\$22.00 769068
	Centrotec Chuck Lightweight, compact quick-release chuck provides two points of contact for bits and accessories. Using Centrotec accessories, precision-milled sleeve acts like bushing, prevents wobble.	\$40.00 492135	\$40.00 492135

Drill Accessories






No drill system comes close to the versatility of the Festool design. In seconds, FastFix chucks seamlessly change a Keyless Chuck drill into a right-angle drill, then into an offset driver and into a depth-stop driver. And, with the Centrotec Chuck system, switching between bit holders and drill bits is fast and easy.

		TXS & CXS	T 18 + C 18
INTERCHANGEABLE CHUCKS			
	<p>Keyless Chuck Standard replacement chuck for the PDC Drill. Compatible with C and T Drills. Up to 1/2" capacity. Ratcheting sleeve for increased retention.</p>	\$78.00 <small>769067</small>	\$78.00 <small>769067</small>
	<p>Keyless Chuck Keyless Chuck for CXS drill with FastFix interface. 1/32" [1 mm]-3/8" [10 mm].</p>	\$74.00 <small>499949</small>	\$74.00 <small>499949</small>
	<p>FastFix Depth Stop Chuck Depth-stop for consistent, precise depth setting regardless of material. Integral clutch maintains depth independent of torque setting. Quick-out ring backs out screws without affecting depth setting.</p>		\$140.00 <small>493539</small>
	<p>FastFix Eccentric Chuck Offset, Eccentric Chuck places bit flush to the side, allows drilling/driving right into corners. Chuck rotates 360° with 16 presets. Quick-release collar will not mar adjoining surfaces.</p>		\$130.00 <small>490294</small>
	<p>FastFix Angle Chuck Right-Angle Chuck for close quarters. 1/4" Hex drive with wire detent, also accepts Centrotec or Keyless Chuck. Chuck rotates 360°, with 16 presets.</p>		\$130.00 <small>490293</small>
	<p>Angle Attachment Right-Angle Chuck for close quarters. 1/4" Hex drive with magnet accepts 1/4" driver tips. Also accepts Centrotec and FastFix Keyless Chuck.</p>	\$105.00 <small>497951</small>	
	<p>Centrotec Chuck Lightweight, compact quick-release chuck provides two points of contact for bits and accessories. Using Centrotec accessories, precision-milled sleeve acts like bushing, prevents wobble.</p>	\$40.00 <small>492135</small>	\$40.00 <small>492135</small>
CENTROTEC ACCESSORIES			
	<p>Hand Driver Expand the versatility of the entire Centrotec range of drill bits and drivers with this solution for all hand-driving tasks.</p>	\$24.00 <small>200140</small>	\$24.00 <small>200140</small>
	<p>Centrotec Adapter Convert any non-Festool drill for use with the Centrotec System using this adapter which fits into a standard Keyless Chuck. Provides a simple way to make any drill compatible with the Centrotec system. Centrotec Chuck [492 135] sold separately.</p>	\$24.00 <small>496450</small>	\$24.00 <small>496450</small>
	<p>Adapter Adapt any Centrotec-equipped drill for use with 1/4" sockets. Ball lock for positive connection and socket retention.</p>	\$24.00 <small>495131</small>	\$24.00 <small>495131</small>
	<p>Adapter Adapt any Centrotec-equipped drill for use with 3/8" sockets. Ball lock for positive connection and socket retention.</p>	\$26.00 <small>495133</small>	\$26.00 <small>495133</small>





CENTROTEC ACCESSORIES

	Countersink Precision-ground. Also compatible with FastFix Keyless Chuck.	
	Countersink, D2-8 mm	\$48.00 492520
	Countersink, D5-15 mm	\$48.00 492521
	Drill bit Precision-ground. Also compatible with FastFix Keyless Chuck.	
	5 mm Bit	\$67.00 492522
	Replacement Bit	\$25.00 491794
	Drill countersink Precision-ground. Also compatible with FastFix Keyless Chuck.	
	3.5 mm Bit	\$78.00 492523
	Replacement Bit (5 pieces)	\$25.00 494445
	4.5 mm Bit	\$78.00 492524
	Replacement Bit (5 pieces)	\$25.00 494446
	Self-centering bit Center Bit 5 mm	\$90.00 492525
	Replacement Bit (1 piece)	\$23.00 493572
	Hook Driver Drive screw hooks with your cordless drill. Also compatible with FastFix Keyless Chuck.	\$20.00 492526
	Bit Holder Magnetic bit holder with quick release collar. 2-9/16" length. Allows standard bits to be used with Centrotec Chuck. Also compatible with FastFix Keyless Chuck.	\$29.00 492648
	Bit Holder Magnetic bit holder, 2-3/8" length. Allows standard bits to be used with Centrotec Chuck. Heavy-wall construction for use with T1 15 Impact Driver. Also compatible with all other Festool Cordless Drills and FastFix Keyless Chuck.	\$26.00 498974
	Bit Holder Magnetic bit holder, 6" length. Allows standard bits to be used with Centrotec Chuck. Also compatible with FastFix Keyless Chuck.	\$25.00 492540

DWC 18 - 4500 ACCESSORIES





	PH bit PH 2-AF-55 3x DWC 18 Elongated Phillips driver bit for use with magazine attachment. Compatible with a majority of collated screws for drywall.	\$16.75 769124
	Bit Holder BH-DWC Bit holder equipped with 1/4" drive compatibility. For use with the depth stop cone.	\$11.50 769125
	Drywall Screws C FT 3.9x25 1000x Fine thread screws for fastening in metal studs and substructures. Collated strips. Available in 25 mm (1") and 35 mm (1-3/8") lengths. 1,000 per box.	\$34.00 769142
	Drywall Screws C FT 3.9x35 1000x	\$34.00 769143
	Drywall Screws C CT 3.9x35 1000x Coarse thread screws for fastening in wood studs and substructures. Collated strips. Available in 35 mm (1-3/8") and 45 mm (1-3/4") lengths. 1,000 per box.	\$34.00 769144
	Drywall Screws C CT 3.9x45 1000x	\$34.00 769145
	Magazine attachment (included in both Basic and Plus) Auto-feed magazine (included with DWC Basic and DWC Plus versions) features tool-free removal, precision depth control, quick-release button for removing collated screw strips, and field strip capability for easy maintenance and long-life.	\$210.00 202543

DRIVER BITS

	PH bit Long-shaft Centrotec Phillips bits. Precision-milled shaft for near zero run-out. Also compatible with FastFix Keyless Chuck.	
	Phillips 1-100 mm1 (2 pieces)	\$24.00 500844
	Phillips 2-100 mm1 (2 pieces)	\$24.00 500845
	Phillips 3-100 mm1 (2 pieces)	\$24.00 500846
	Bit Long-shaft Centrotec Pozidrive bits for Pozidrive fasteners used on European hardware. Precision-milled shaft for near zero run-out. Also compatible with FastFix Keyless Chuck.	
	Pozidrive 1-100 mm1 (2 pieces)	\$24.00 500841
	Pozidrive 2-100 mm1 (2 pieces)	\$24.00 500842
	Pozidrive 3-100 mm1 (2 pieces)	\$24.00 500843
	Bit Long-shaft Centrotec Torx bits. Precision-milled shaft for near zero run-out. Also compatible with FastFix Keyless Chuck.	
	Torx 15-100 mm1 (2 pieces)	\$24.00 500847
	Torx 20-100 mm1 (2 pieces)	\$24.00 500848
	Torx 25-100 mm1 (2 pieces)	\$24.00 500849
	Torx 30-100 mm1 (2 pieces)	\$24.00 500850
	SZ bit	
	Slot Bit 5.5-100 mm (7/32"-3-15/16") (2 pieces)	\$24.00 500851
	Slot Bit 6.5-100 mm (1/4"-3-15/16") (2 pieces)	\$24.00 500852

1 Centrotec bits are specially designed for the Centrotec Chuck. They have a longer shaft and when used with the Centrotec Chuck, which acts like a bushing, offer true-running precision. All Centrotec bits can also be used with standard bit holders and chucks.

DRILL BITS

	Centrotec HSS Drill bit HSS brad-point wood bits. Compatible with Centrotec Chuck and FastFix Keyless Chucks. Precision-ground to metric dimensions. Imperial measurements for reference only.	
	3.0 mm (1/8")	\$14.75 492512
	4.0 mm (5/32")	\$15.75 492513
	5.0 mm (3/16")	\$17.75 492514
	6.0 mm (15/64")	\$20.00 492515
	7.0 mm (9/32")	\$21.00 492516
	8.0 mm (5/16")	\$22.00 492517
	10.0 mm (13/32")	\$23.00 492518
	Centrotec HSS spiral Drill bits Consists of 1 bit with shank, 2 replacement bits and wrench. Precision-ground to metric dimensions. Imperial measurements for reference only.	
	3.0 mm (1/8")	\$11.50 493421
	3.5 mm (9/64")	\$12.50 493422
	4.0 mm (5/32")	\$13.75 493423
	4.5 mm (11/64")	\$14.75 493424
	5.0 mm (3/16")	\$15.75 493425
	5.5 mm (7/32")	\$17.75 493426
	6.0 mm (15/64")	\$17.75 493427
	Centrotec HSS spiral Drill bit (replacement packs) Precision-ground to metric dimensions. Imperial measurements for reference only.	
	3.0 mm (1/8") (10 pieces)	\$15.75 493437
	3.5 mm (9/64") (10 pieces)	\$17.75 493438
	4.0 mm (5/32") (10 pieces)	\$20.00 493439
	4.5 mm (11/64") (10 pieces)	\$21.00 493440
	5.0 mm (3/16") (10 pieces)	\$22.00 493441
	5.5 mm (7/32") (10 pieces)	\$23.00 493442
	6.0 mm (15/64") (10 pieces)	\$24.00 493443
6.5 mm (1/4") (10 pieces)	\$25.00 493444	
	Bit Set Drill bits made from high-alloy steel with center point and 2 cutters for drilling quick, clean holes. Two chamfers instead of pre-cutting blades for an extended service life. For drilling in all types of wood, glued solid wood, MDF and acrylic glass. Includes five bits: 3 mm, 4 mm, 5 mm, 6 mm and 8 mm in diameter.	
	\$46.00 495130	

Metric dimensions binding.